

AERIAL LIFTS AND ELEVATING PLATFORMS	Identifier: PRD-2006
	Revision*: 3
	Page: 1 of 2

Subcontractors	Program Requirements Document	For Additional Info: http://EDMS	Effective Date: 01/02/17
----------------	-------------------------------	---	--------------------------

Manual: Subcontractors Requirements

*The current revision can be verified on EDMS.

Change Number: 350832

Alternate ID: SRM-ISIH-2.1

1. PURPOSE

This document provides requirements for work involving aerial lifts and elevating work platforms, and requirements to protect workers from hazards while using this equipment. This document implements requirements from codes and standards along with *contractor* (see def.) requirements. Any applicable regulatory or contractor requirements must be followed, with the most stringent requirement being met

2. APPLICABILITY

This document applies to all subcontractors working with aerial lifts and elevating work platforms at the Idaho Cleanup Project (ICP), as specified in their contract with contractor. Stricter requirements may be imposed by subcontractors upon their employees or subtier contractors. The requirements of this document shall be followed by subcontractors; however, the means of implementation may vary as determined by the subcontractor.

3. REQUIREMENTS

- 3.1 Training shall be in accordance with 29 CFR 1910.67 and 29 CFR 1926.453.
 - 3.1.1 Each operator shall be instructed in the safe and proper operation of the aerial lift or elevating work platform using the manufacturers operating and maintenace manual.
 - 3.1.2 The operator shall be trained either on the same model of aerial lift or elevating work platform or one having operating characteristics and controls consistent with the one to be used during actual work site operations.
 - 3.1.3 Training shall be hands-on use to successfully demonstrate the trainee's proficiency to the satisfaction of the qualified person designated to administrate the training program.
 - 3.1.4 A record of the trainee's aerial lift and elevating work platform instruction shall be maintained.
- 3.2 Personnel shall observe all requirements from work control documentation (i.e., Job Safety Analysis or Safe Work Permits) when using aerial lifts or elevated work platforms.
- 3.3 Aerial lifts and elevating work platforms shall meet the requirements of the manufacturer and the requirements of 29 CFR 1910.67 and 1926.453.

AERIAL LIFTS AND ELEVATING PLATFORMS

Identifier: PRD-2006

Revision*: 3

Page: 2 of 2

- 3.4 Aerial lifts and elevating work platforms shall be inspected each day, before use, using the manufacturer's recommendations.
- 3.5 The following requirements shall be observed when working with lifts and platforms:
- 3.5.1 Vehicle-mounted boom platforms shall not be operated within 50 feet of overhead electrical lines, the requirements are listed in PRD-2011
- 3.5.2 Fall protection equipment (harness and a self-locking/self-closing lanyard) shall be worn and shall be attached to the boom or basket when working from or traveling in an aerial lift.
- NOTE:** *The fall protection equipment is not required in scissor lifts or aerial lifts that telescope vertically and do not articulate, and that have manufacturer-designed fall protection systems such as guard rails, UNLESS such fall protection equipment is specifically required by the manufacturer.*
- 3.5.3 Workers shall not leave aerial lifts or elevated work platforms when in the elevated position, unless specifically indicated on the work control document.

4. DEFINITIONS

None

5. REFERENCES**5.1 Source Documents**

29 CFR 1910.67, "Vehicle-mounted Elevating and Rotating Work Platforms"

29 CFR 1926.453, "Aerial Lifts. "

5.2 Related Requirements

The following documents may also contain requirements that apply to this activity:

PRD-2002, "Fall Protection"

PRD-2011, "Electrical Safety"

6. APPENDIXES

None